

Oracle CPQ Cloud 1Z0-1033-21 Practice Test Engine Try These 95 Exam Questions [Q50-Q69]



Oracle CPQ Cloud 1Z0-1033-21 Practice Test Engine: Try These 95 Exam Questions
Guaranteed Success in Oracle CPQ Cloud 1Z0-1033-21 Exam Dumps

NO.50 While designing the integration of a CPQ Cloud transaction with an external Order Management System, you must ensure that the transaction is submitted as an Order on a single-action-click from within CPQ Cloud.

Which two statements are true given this requirement?

- * TransactionID of a transaction is key during the Order submission process.
- * The Order Management System will perform a `getTransaction()` API call to fetch transaction data in response to a valid request from the CPQ Cloud quote.
- * The CPQ Cloud transaction will perform an `update Transaction()` API call to send transaction data in response to a valid request from the Order Management System.
- * The Order Management System will need to initiate the Submit Order call on the click of a button within its own system.
- * The CPQ Cloud transaction will initiate the Submit Order call on the click of a button from the transaction.

NO.51 You have implemented a Commerce Constraint rule, which has an Advanced action. While testing, you find that the attribute values specified in the rule are not being constrained, even though the condition is always true.

What are two reasons for this behavior? (Choose two.)

- * The attribute is used as a condition for a Commerce Hiding rule.
- * Configuration was not deployed after the rule was implemented.
- * Commerce was not deployed after the rule was implemented.
- * The rule is inactive

NO.52 What is the correct order of execution of Configuration rules for an attribute that has both Recommendation and Constraint rules written on it?

- * Recommendation, Constraint, Hiding, RecommendedItem
- * Constraint, Hiding, Recommendation, Recommended Item
- * Constraint, Recommendation, Constraint, Hiding, Recommended Item
- * Hiding, Constraint, Recommendation, Recommended Item
- * Recommendation, Recommended Item, Hiding, Constraint

NO.53 What is the correct procedure for moving a file from one folder to another in File Manager?

- * Click File Manager on the Admin home page, click the source file folder, select the check box next to the file you want to move, click the destination folder, and click the Move button.
- * Click File Manager on the Admin home page, click the source file folder, select the check box next to the file you want to move, select the destination folder from the Select Folder drop-down menu, and click the Move button.
- * Click File Manager on the Admin home page, click the source file folder, click the file you want to move, and drag the file to the destination folder.
- * Click File Manager on the Admin home page, click the source file folder, right-click the file you want to move and select Copy from the shortcut menu, click the destination file folder, and right-click in the list of files in that destination folder and select Paste from the shortcut menu.
- * Click File Manager on the Admin home page, click the source file folder, select the check box next to the file you want to move, select the destination folder from the Select Folder drop-down menu, and click the Copy button.

NO.54 Given the following code:

```
var = "25";
```

```
if (isnumber (var)) {
```

```
_____
```

```
    } else {
```

```
        results = "NaN";
```

```
    }
```

Which statement will return the value for results as 25.0 when it is put in place of the blank line shown above the }else{ statement?

- * results = atoi (var);
- * results = atof (var);
- * results = strtointeger (var);
- * results = strtfloat (var);

NO.55 Given the following code:

```
xmlPayload = "<?xml version= \"1.0\" encoding= \"UTF-8\"?><library><book lang= \"en\">Spring in  
Action</book><book lang= \"fr\">J2EE Blueprint</book></library>\";  
xpath = string [1];  
xpath [0] = \"/library/book/@lang\";  
output = rwxmlmultiple (xmlPayload, xpath);  
  
for xpath in xpath {  
    print (" (key) = (" + xpath + ") ");  
    values = string [1];  
    values = get (output, xpath);  
  
    for value in values{  
        print (" (value) = (" + value + ") ");  
    }  
}  
return " ";
```

What will be returned?

- * (key) = (/library/book/@lang)(value) = (en)(value) = (fr)
- * (key) = (/lang/book/library)(value) = (en)(value) = (fr)
- * (key) = (/library/book/@lang)(value) = (English)(value) = (French)
- * (key) = (/library/book/@lang)(value) = (Spring in Action)(value) = (J2EE Blueprint)

NO.56 Which three discount types are available in pricing? (Choose three.)

- * amount discount
- * absolute price
- * promotion discount
- * quantity-dependent discount
- * percent discount

NO.57 When a user clicks Save within Commerce of CPQ, the user gets the following error: `“insufficient access on cross reference id.”` Why?

- * The user does not have CPQ access.
- * The user does not have the ability to see and edit any object in Salesforce that the user is trying to edit.
- * Upon installing Salesforce Managed Package, the flag `“Allow Quote Creation”` is not checked.
- * The user does not exist in Salesforce Managed Package.

NO.58 When defining a new user, which Type value can grant a user account complete access to the CPQ Cloud site?

- * Administration with Create/Modify Users selected
- * FullAccess with Create/Modify Users selected
- * Superuser with Create/Modify Users selected
- * Root with Create/Modify Users selected
- * AdminAccess with Create/Modify Users selected

NO.59 Identify two reasons why some or all transaction in a particular step are hidden for a user in Transaction Manager.

- * The step has an auto-forwarding rule, which did not return the user or one of his groups and all participant profiles do not have other permission methods selected.
- * All participant profiles of this step have group access defined and the `“Performer Step”` set, and the user did not perform an action on the hidden transactions in other steps.
- * There is no valid participant profile for this user with hidden transactions.
- * The user has the RestrictedAccess user type.
- * A hiding rule was defined in commerce rules.
- * The participant profile that is valid for this user has the Document Views tab, the Document Views panel, and the `“Entire`

Document; = ;hide; setting.

NO.60 In order to obtain additional sets of records when performing a REST call, which of the following sample URLs would a user use to obtain an additional 1000 records?

- * <https://testsite.bigmachines.com/rest/v1/commerceDocumantsExampleTransactions?totalResults=1000>
- * <https://testsitebigmachines.com/rest/v1/commerceDocumantsExampleTransactions?pffset=1000>
- * <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampleTransactions?set=1000>
- * <https://testsite.bigmachines.com/rest/v1/commerceDocumentsExampletransactions?limit=1000>

NO.61 How do you modify a specific user's access (grant access or remove access) to Product Families, Supported Product Families, and Data Table folders?

- * For each Product Family or Data table folder affected, click the Modify tab for that item and then select or deselect the check boxes related to the users you want to grant access to or remove access from for this Product Family or Data Table folder.
- * Click the user's name on the User Administration List page to edit the user, click the Access Permission tab, select or deselect the check boxes related to the items you want to grant access to or remove access from for this user.
- * Click the Group name on the Group Administration List page that has this user as a member, click the Access Permissions tab, select or deselect the check boxes related to the items you want to grant access to or remove access from for this user.
- * Go to the Product Family definition or the Data Table folder properties for which you want to grant or remove access, click the Access Permissions tab, select or deselect the check boxes related to the users you want to grant access to or remove access from for this Product Family or Data Table folder.
- * Use the Navigation Menus item on the Administration home page to grant or remove access to specific Product Families or Data Table folders for the user.

NO.62 Which is the correct procedure for adding multiple files to File Manager in a single step?

- * Click File Manager on the Admin home page, click the Browse button next to ;Browse for ZIP File;, identify the zip file to upload, and click the Add/Update Files button.
- * Click File Manager on the Admin home page, select the folder, where you want to store the new files, click the Browse button next to ;Browse for ZIP File:;, identify the zip file to upload, and click the Add File button.
- * Click File Manager on the Admin home page, select the folder where you want to store the new files, click the Browse button next to ;Browse for ZIP File:;, identify the zip file to upload, and click the Add/Update Files button.
- * Click File Manager on the Admin home page, select the folder, where you want to store the new files, click the Browse button next to ;Browse for ZIP File:;, and click the Add/Update Files button.
- * Click File Manager on the Admin home page, select the folder, where you want to store the new files, click the Browse button next to ;Browse for ZIP File:;, identify the zip file to upload, and click the Add File button.

NO.63 How should an administrator set up a conditional restriction for access to a Product Family?

- * by providing conditional access criteria in the Restricted Access section of the home page setup
- * by setting up a restricted profile and user group in Commerce and hiding the add, reconfigure, and delete product options
- * by hiding the model Punch-In on the home page by using JavaScript
- * by writing a Constraint rule at the Product Family level

NO.64 Identify the three data types available for part custom fields. (Choose three.)

- * ;Date,; can include time
- * ;String,; can be changed to ;Single Select Menu;
- * ;Boolean;
- * ;Float,; can be changed to ;Integer;
- * ;Currency;
- * ;Multi Select menu;

NO.65 Identify three types of data written to different log files that you can find in the Error Logs menu. (Choose three.)

- * email sending and receiving
- * performance information
- * server messages
- * modsecurity messages
- * administration changes
- * output of print servers

NO.66 A customer sets up a BOM mapping for a configuration model using a single simple Table-Based BOM Mapping Configuration rule, as well as the BOM Item Definition and BOM Item Mapping Tables. When reviewing their implementation, they notice the following:

- * The BOM Root Items Administration List shows the root BOM item and its child BOM items correctly.

No errors are displayed. (Accessed from Admin > Products > BOM > BOM Root Items List)

* The BOM Item Mapping Administration List shows no root BOM item or child BOM items. No errors are displayed. (Accessed from the BOM Mapping rule's Save and View Details button) Which field have they incorrectly populated in their BOM Mapping Tables?

- * Parent BOM Map Variable Name; in the BOM Item Mapping Table
- * Root Variable Name; in the BOM Item Definition Table
- * Part Number; in the BOM Item Definition Table
- * Parent Variable Name; in the BOM Item Definition Table
- * BOM Item Variable Name; in the BOM Item Mapping Table
- * Configurable Attribute Variable Name; in the BOM Item Mapping Table

NO.67 You want to control the information that can be viewed on the transaction page.

What must you create to accomplish this?

- * Constraint Rules
- * Transition Rules
- * Participant Profiles
- * Internal User Definitions
- * Library Functions

NO.68 Which two items are necessary to migrate between environments? (Choose two.)

- * Environments must have similar urls (for example, testcustomer and devcustomer).
- * Environments must be on the same major release (for example, 2016R2).
- * Environments must be on the same minor release (for example, 2016R2 update 2).
- * Administrators must have FullAccess logins for both environments.
- * Entities to be migrated must be deployed within 24 hours of the migration.

NO.69 Identify two options to which transactions can be forwarded using forwarding rules. (Choose two.)

- * any of the users who are part of the Approval group
- * user groups
- * users
- * any email address registered in the CPQ Cloud system

Explanation

References:

Test Engine to Practice 1Z0-1033-21 Test Questions: <https://www.dumpsmaterials.com/1Z0-1033-21-real-torrent.html>