


Prepare JN0-611 Exam Questions [2022 Recently Updated Questions [Q22-Q40]



Prepare JN0-611 Exam Questions [2022] Recently Updated Questions [Q22-Q40]

Prepare JN0-611 Exam Questions [2022 Recently Updated Questions Give push to your success with JN0-611 exam questions NEW QUESTION 22

Contrail Virtual Network corresponds to which entity in VMware vCenter?

- * distributed virtual switch
- * standard virtual switch
- * distributed port group
- * standard port group

NEW QUESTION 23

You are working with Contrail multicloud using Azure cloud. You want to modify the topology to add extra resources. Which two steps must be performed to accomplish this task? (Choose two.)

- * Edit the topology.dat file.
- * Execute the modify.yml Ansible playbook.

- * Edit the topology.yml file.
- * Execute the modify.sh script.

NEW QUESTION 24

Which statement correctly characterizes the VLAN allocation for tenant VMs when Contrail provides overlay network virtualization in a VMware cluster?

- * All VMs on the same subnet on a single ESXi host share a common VLAN.
- * All VMs on a single ESXi host have the same unique VLAN.
- * Each virtual network has a unique VLAN on every ESXi host.
- * On every ESXi host, each VM has a unique VLAN.

NEW QUESTION 25

Which two roles does Contrail Enterprise Multicloud place on IP Fabric devices in a Unicast edge- routed environment? (Choose two.)

- * The leaves are Layer 3 VXLAN gateways.
- * The spines are Layer 2 VXLAN gateways.
- * The spines are Layer 3 VXLAN gateways.
- * The leaves are Layer 2 VXLAN gateways.

NEW QUESTION 26

You are writing Contrail firewall rule policies for a recently added application on an AWS cloud environment. The application is complex and requires access to a list of s3 databases along with various protocol and port combinations.

In this scenario, which two policy rule constructs would ensure that the number of rules are limited without affecting functionality? (Choose two.)

- * application policy sets
- * global tags
- * service groups
- * address groups

NEW QUESTION 27

Contrail security tags and their values in AWS multicloud deployments are evaluated in which order?

- * virtual machine, project, virtual network, and virtual machine interface
- * virtual machine interface, virtual machine, virtual network, and project
- * project, virtual network, virtual machine, and virtual machine interface
- * virtual network, project, virtual machine interface, and virtual machine

NEW QUESTION 28

Which Contrail daemon set is responsible for listening to the Kubernetes API messages and creating resources in the Contrail API database?

- * contrail-controller-config
- * contrail-configdb
- * contrail-analytics-alarm
- * contrail-Jcube-manager

NEW QUESTION 29

Which statement is correct about OpenShift?

- * OpenShift can orchestrate Kubernetes pods.
- * OpenShift can orchestrate VMware pods.
- * OpenShift can orchestrate NSX pods.
- * OpenShift can orchestrate OpenStack pods.

NEW QUESTION 30

You are using Kubernetes in your Contrail Enterprise Multicloud environment. You must create an isolated Kubernetes namespace. In this scenario, which two statements are correct? (Choose two.)

- * A networking port is automatically created.
- * A pod network is automatically created.
- * A network policy is automatically created.
- * A project is automatically created.

NEW QUESTION 31

Referring to the exhibit, which component will be used for the underlay connectivity of the ESXi host?



```
- name: esxi-1
  username: <username>
  password: <password>
  datastore: <datastore>
  vcenter_server: <server>
  datacenter: <datacenter>
  cluster: <cluster>
  standard_switch_list:
    - pg_name: cntr-pg
      contrail_vm:
        networks:
          - mac: 00:77:56:aa:bb:03
            sw_type: standard
            pg: cntr-pg
```

- * a host unique vSwitch
- * the vSwitch0
- * the cntr-vswitch
- * a distributed vSwitch

NEW QUESTION 32

You are configuring the management and control_data interfaces in a standard switch port group using ContrailVM. In the scenario, which two statements are correct? (Choose two.)


- * The control_data interface can have the DHCP flag set as false.

- * The management interface must have the DHCP flag set as true.
- * The control_data interface must have the DHCP flag set as true.
- * The management interface can have the DHCP flag set as false.

NEW QUESTION 33

Referring to the exhibit, three microservices are deployed in an OpenShift cluster, each in a separate OpenShift project. The Web pod exposes the Web front end through a service. The App pod exposes an application API through a second service. You are asked to assign Web services external IP addresses out of the 100.64.0.0/24 subnet, and the App AIP external IP addresses from the 100.64.128.0/24 subnet.

How would you accomplish this task?



- * Use a Contrail network policy to match the microservice IP addresses, and advertise them to the external networks.
- * Apply the `opencontrail.org/fip-pool` annotation to each project namespace.
- * Use an OpenShift network policy applied to each of the exposed microservices.
- * Configure a namespace isolation policy.

NEW QUESTION 34

You are deploying resources within AWS integrated with Contrail. Which set of components must be defined in this situation?

- * region, VNET, security groups, SSH key pair, EC2 instance details
- * region, resource group, VPC, security groups, instance details
- * region, VPC, security groups, SSH key pair, EC2 instance details
- * region, resource group, VNET, security groups, instance details

NEW QUESTION 35

Users mention that an application has network connectivity issues orchestrated by Kubernetes.

To troubleshoot the issue, you must obtain the IP addresses of the pods used by the application.

In this scenario, which command will accomplish this task?

- * `kubect1 config view`
- * `kubect1 get services`

- * kubectl describe pods
- * kubectl explain pods

NEW QUESTION 36

In a Contrail multcloud environment with Azure and AWS cloud, which two components must be provisioned? (Choose two.)


- * Contrail Controller
- * AppFormix node
- * multcloud gateway
- * Contrail analytic database

NEW QUESTION 37

Service instance SI2 is performing source NAT using the pool of addresses shown in the exhibit.

You are verifying connectivity by sending ICMP traffic from the G1 host to the R1 host. You notice that the ICMP requests are received on R1, but the ICMP responses are not received on the G1 host.


In this scenario, what would solve this problem?



- * You must add static routes to the VMs in the Right VN.
- * You must add a static route table to SI2.
- * Apply a network policy to allow traffic from the Left VN toward the Right VN.
- * You must add static routes to the VMs in the Left VN.

NEW QUESTION 38

Referring to the exhibit, what is the correct order of workflow to delete the vSRX?




- * Delete the policy, delete the instance, and then delete the template.
- * Shutdown and delete the instance from the Horizon user interface.
- * Delete the instance, delete the policy, and then delete the template.
- * Delete the template, delete the instance, and then delete the policy.

NEW QUESTION 39

After implementing VMware as your orchestrator. You notice that the automatic provisioning of networks and ports using Contrail is not working.

Referring to the exhibit, which Contrail component must be installed on your ContrailVM in this scenario?



- * Contrail vCenter Manager (CVM)
- * Linux Kernel
- * Contrail security
- * AppFormix

NEW QUESTION 40

You are deploying a service chain in your cloud environment. You want to have the traffic evaluated by a Layer 3 firewall and a load balancing service before reaching its destination. In this scenario, which service mode should be used?

- * in-network
- * firewall
- * analyzer
- * transparent

Get JN0-611 Actual Free Exam Q&As to Prepare Certification: <https://www.dumpsmaterials.com/JN0-611-real-torrent.html>