


## Verified CCD-102 Dumps Q&As - CCD-102 Test Engine with Correct Answers [Q14-Q37]



Verified CCD-102 Dumps Q&As - CCD-102 Test Engine with Correct Answers  
Pass Your CCD-102 Dumps as PDF Updated on 2022 With 67 Questions

### QUESTION 14

Universal Containers wants to associate a region code value with an order to indicate the general area of its destination. This region code must be accessible whenever the order history is displayed.

What is required to accomplish this?

- \* Define a custom object type to store the username with the region code.
- \* Store the region code value in the geolocation system attribute of the Order.
- \* Define a custom attribute on the Order system object type to store the region code value.
- \* Store the region code value in a session variable.

### QUESTION 15

The Client wants to have a flash sale on a few products every day. These products are sold through B2C Commerce as well as an in

store Point of Sale system that it tied to the same inventory.

An Architect analyzes the following proposed solution:

Inventory feed will continue to run daily but add a web-service call to compare and update B2C Commerce inventory in real time during checkout after a flash product's inventory reaches a threshold.

Which two risks should the Architect communicate to the Client about this solution?

Choose 2 answers

- \* The default rate limiter configuration for the web-service could cause the web-service to return an exception during high traffic.
- \* If the external hosted web-service is unreliable. It could be a point of failure in the site's order placement flow.
- \* If the product Inventory threshold that triggers the web service calls is reached too often. It will have a negative Impact on site performance.
- \* Because the job would still be configured to run daily there will be a degrade in performance during non-flash sales periods

### QUESTION 16

A developer is given a task to implement a new Page Designer layout component that doesn't accept certain asset components.

How should the developer achieve the above task?

- \* Add component\_type\_inclusion in the layout json configuration
- \* Add component\_type\_Exclusions in the layout json configuration
- \* Add layout\_type\_inclusion in the target components json configurations.
- \* Add layout\_type\_exclusion in the other asset components json configuration.

### QUESTION 17

Given the requirements:

- \* To show the washing Instructions for a clothing product on a dedicated section the detail page
- \* Washing instructions come from the product Information manager (PIM)
- \* To have this attribute available to localize in the Storefront

Which action must these requirements?

- \* Create a custom attribute on the product system object and set it as localizable.
- \* Add a resource file for every locale for which the attribute needs to be translated.
- \* set the product system object type as localizable.

### QUESTION 18

Universal Containers wants to change a content slot that is currently configured to display a content asset. Now they want the slot to display the top five selling boxes for the week.

Which two changes need to be made for this to occur? (Choose two.)

- \* Change the slot's configuration content type to `products`;
- \* Change the slot's configuration content type to `recommendations`;

- \* Change the slot's configuration template to the appropriate rendering template.
- \* Delete the existing content asset.

### QUESTION 19

Which two activities should an Architect encourage the replication team to follow based on S2C Commerce best practices?

Choose 2 answers

- \* Use the undo replication process to roll back to the previous replication if necessary.
- \* Replicate the latest data to Production during periods of increased site use to ensure freshness.
- \* Use the undo replication process to roll back code replications only, not data replications.
- \* Wait 15 minutes after the recreation process completes for the cache to clear automatically.

### QUESTION 20

A Digital Developer is inspecting the weekly service status report for a critical internally-hosted web service used in the application and notices that there are too many instances of unavailability.

Which two solutions are possible options to reduce the unavailability of the service? Choose 2 answers

- \* Change the code that makes the request to set the `throwOnError` attribute, of the service, to be true.
- \* Modify the code that makes the request to the external service to be wrapped in a try / catch block.
- \* Increase the web service time out.
- \* Update the external service to have a faster response time.

### QUESTION 21

A developer has a sandbox configured with a service and its profile and credential.. Now there is a requirement to allow changes to the service URL manually from the sandbox.

Which B2C feature should the developer use to achieve the request?

- \* Use the service credential URL field
- \* Use the service status area, set the override URL checkbox, and then populate the URL field with the required one.
- \* Use a Sitepreference dedicated for the service URL
- \* Use a Globalpreference dedicated for the service URL

### QUESTION 22

A merchant asks a developer to create a Cache Partition for the home page, so that when the home page is edited, only the home page is cleaned.

Given the above requirement, where should the developer create that partition in Business Manager?

- \* Administration > Sites > Manage Sites > Site > Cache
- \* Operations > Site > Manage Sites > Cache
- \* Operations > Cache > Site
- \* Site > Site Preferences > Cache

### QUESTION 23

A developer has the following files in template/resources:

account.proierties

weight.unit=kilos

account\_en.propierties

weight.unit=stones

account\_en\_US.propierties

weight.unit= pounds

Using the default locale configuration, what is the current outcome of the page that renders the account.isml template snippet below when visiting the Sofrefront with the English for Canada(en\_CA) locale= Your parcel weighs 10

```
{Resource.msg(#{weight.unit},#{account});}
```

- \* Your parcel weighs 10 stones.
- \* Your parcel weighs 10 pounds.
- \* Your parcel weighs 10 undefined.
- \* Your parcel weighs 10 kilos

#### QUESTION 24

A Digital Developer noticed that cartridges in their workspace are NOT executing. The Developer confirms that the cartridges are uploaded to the B2C Commerce server connection's target version directory.

Which action potentially solves this problem?

- \* Set the active code version to use the latest compatibility mode.
- \* Remove invalid characters from cartridge file and folder names.
- \* Set the server connection's target version directory to the active code version.
- \* Remove invalid characters from the code version's name.

#### QUESTION 25

A Digital Developer has detected storefront pages being rendered with an error message. After inspecting the log files, the Developer discovered that an enforced quota is being exceeded.

What action should the Developer take to stop the quota violation?

- \* Change the Business Manager configuration for the quota settings.
- \* Ask support to remove the quota limit.
- \* Rewrite the code that is causing the overage.
- \* Take no action, the overage will be resolved when concurrent visitors are reduced.

#### QUESTION 26

Which three configuration does a developer need to ensure to have a new product visible in the Storefront?

Choose 3 answers

- \* The product has a Price
- \* The Storefront catalog that contains the product is assigned to a site
- \* The product has a master product

- \* The product is online and searchable
- \* The search index is built.

Tengo dudas con el A. REVISAR

### QUESTION 27

A merchant wants customers to be able to order gift vouchers via their site. Since they can issue an unlimited number of these digital vouchers, this item should be available to sell at all items.

How can a developer use Business Manager to ensure that the gift vouchers are always available?

- \* Check the perpetual flag in the product inventory record
- \* Check the Available to Sell (ATS) flag dor the producto set
- \* Set StockLevel = maxAllocation for the producto.
- \* Manually set the inventory to a high number.

### QUESTION 28

A developer needs to check for product inventory in all inventory lists using the Open Commerce API.

An example request URL is:

```
http://refarch.demandware.net/dw/data/v18_3/inventory_lists/ecom-inventory/product_inventory_records/00883408601
```

Which properly should the developer check in the OCAPI settings to confirm the appropriate resource is enabled?

- \* Client\_id
- \* Ecom-inventory
- \* Inventory\_list

### QUESTION 29

A developer working on a simple web service integration is asked to add appropriate logging to allow future troubleshooting.

According to logging best practices, which code should the developer write to log when an operation succeeds, but has an unexpected outcome that may produce side effects?

- \* `Logger.info('Unexpected service response');`
- \* `Logger.debug('Unexpected service response');`
- \* `Logger.error('Unexpected service response');`
- \* `Logger.warn('Unexpected service response');`

### QUESTION 30

During implementation, the team found that there is a notification controller exposed for an external service that marks the order as paid when notification is received. The notification URL is sent to the service together with the payment request and contains only the URL with orderID as the parameter.

What should the Architect recommend to the team in order to prevent the unauthorized usage of the controller to mark the orders as paid?

- \* Add a customer number in the callback URL and match the customer number against the one stored on the order.
- \* Add HTTPS restriction to the controller start node.
- \* Add an order token in the callback URL and match the token against the one stored on the order.

- \* Add a session attribute and validate it on the callback.

### QUESTION 31

The Client has implemented a different category/search layout for mobile and desktop. The code uses a session attribute called deviceType to choose the corresponding layout. This attribute is populated from the browser user agent. After this implementation they have run into these problems:

- \* Sometimes desktop pages are being served to both desktop and mobile customers.
- \* Sometimes mobile pages are being served to both desktop and mobile customers.

The page has caching implemented that depends on promotions. SEC is very important and the site traffic is high.

Which solution should the Architect select to resolve the issue without impacting the existing requirements?

- \* Create customer groups for desktop and mobile users and use remote includes based on these groups to render the mobile and desktop pages
- \* Create customer groups for desktop and mobile users and empty promotions linked to these groups to ensure different cached versions of the page.
- \* Disable caching for these pages to ensure that the correct template is used to render the mobile and desktop pages.
- \* Change the URL structure to include desktop and mobile as URL parameters to ensure different cached versions of the page

### QUESTION 32

A Digital Developer is implementing an Open Commerce API call to add products to a basket. Given the following resource configuration:

```
{
  "resource_id": "/baskets/**",
  "methods": ["get"],
  "read_attributes": "(**)",
  "write_attributes": "(**)"
}
```

Which modification allows the requests to successfully execute?

- \* Change the resource\_id value to: /baskets/\*/items
- \* Change the write\_attributes value to: (+items)
- \* Change the read\_attributes value to: (items)
- \* Change the methods value to: [get, post]

### QUESTION 33

Universal Containers created a site export file from staging in the global export directory. How should the Digital Developer update their sandbox using this staging site export file?

- \* Perform a data replication from staging.
- \* Use the Site Development > Site Import & Export Business Manager module.
- \* Download the site export file and use UX Studio to transfer the data to the sandbox.
- \* Use the Site Development > Import & Export Business Manager module.

## QUESTION 34

A Digital Developer needs to add a new form to the shopping cart page to allow customers to enter their rewards pass ID. There is already an existing cart.js controller that handles processing of the other cart forms. In addition, a form field node is in the form XML and the necessary form input is present in the ISML template.

The code below is the submit button for the ISML markup.

```
<button type="submit" value="{pdict.CurrentForms.cart.addRewardPass.htmlName}"  
name="{pdict.CurrentForms.cart.addRewardPass.htmlName}">  
  {Resource.msg('rewards.apply', 'locale', null)}  
</button>
```

What additional steps must occur before the Digital Developer can begin writing the processing code for this request?

- \* \* Add an <action /> node to the form definition XML with the attribute formid=&#8221;addRewardFaas&#8221;
- \* Add the key addRewardPass, with a processing function as a value, to the object passed to the Form.handleActionO method in the Cart .j\* controller
- \* \* Add the attribute addtl-fonn-action&#8217;addRewardPaas&#8221;1 to the ISML form
- \* Add the key addRewardPass, with a processing function as a value, to the object passed to the Form.handleActionO method in the cart.3s controller
- \* \* Add a <submit /> node to the form definition XML with the attribute formid=&#8221;addRewardPas3&#8243;
- \* Add the key addRewardPasa, with a processing function as a value, to the object passed to the Form.handleActionO method in the Cart.ja controller
- \* \* Add an action /> node to the form definition XML with the attribute formid=&#8221;addRewardFa3s&#8221;
- \* No change to cart.3a controller required

## QUESTION 35

Given the requirements:

- \* To show the washing instructions for a clothing product on a dedicated section the detail page
- \* Washing instructions come from the product information manager(PIM)
- \* To have this attribute available to localize in the Storefront.

Which action meets these requirements?

- \* Set the product system object type as localizable
- \* Add a resource file for every locale for which the attribute needs to be translated.
- \* Set the custom attribute as localizable
- \* Add a custom attribute for each locale

## QUESTION 36

Which three object types can a developer import using the Merchant Tools > Content > Import & Export module in Business Manager?

Choose 3 answers

- \* Folders
- \* Images and other static assets
- \* Products
- \* Content slots
- \* Content assets

### QUESTION 37

A Digital Developer has been given a specification to integrate with a REST API for retrieving weather conditions. The service expects parameters to be form encoded.

Which service type should the Developer register?

- \* HTTP Form
- \* WebDAV
- \* SOAP
- \* FTP

**Pass Salesforce CCD-102 Exam Info and Free Practice Test:** <https://www.dumpsmaterials.com/CCD-102-real-torrent.html>