

## Free Fortinet (NSE6\_FAD-6.2) Certification Sample Questions with Online Practice Test [Q17-Q37]



### Free Fortinet (NSE6\_FAD-6.2) Certification Sample Questions with Online Practice Test NSE6\_FAD-6.2 Certification Study Guide Pass NSE6\_FAD-6.2 Fast

#### Fortinet NSE6\_FAD-6.2 Exam Syllabus Topics:

TopicDetailsTopic 1- Configure virtual servers, real servers, server pools, and health checks- Configure SSL offloading, acceleration and inspectionTopic 2- Configure WAF and web vulnerability scanning- Configure global server load balancingTopic 3- Implement traffic security inspections and DoS protection- Configure traffic delivery optimizationTopic 4- Advanced Networking and Security- Identify deployment requirementsTopic 5- Manipulate traffic flow using LUA scripts- Perform system configuration and management tasks

#### NEW QUESTION 17

When configuring aFortiADC configuration backup, which two options are available for designating a storage location for the configuration file? (Choose two.)

\* DSSH

- \* FortiADC local storage
- \* Local PC/Server
- \* FortiCloud

### NEW QUESTION 18


An administrator has learned that some of the corporate web servers were exploited using SQL injection attacks.


What should the administrator do to verify their web servers are not susceptible to the exploits?

- \* Configure WVS
- \* Configure a database health check
- \* Configure DNSSEC
- \* Configure SSLi

### NEW QUESTION 19

Refer to the exhibit.





The exhibit shows the Basic and General tabs of a virtual server configuration.

Why is the Scripting option not available?

- \* Scripting is not supported when using a RADIUS profile
- \* Scripting is not supported when using round robin load balancing
- \* Scripting is not supported on Layer 7 type virtual servers.


#### NEW QUESTION 20

Which two statements about Layer 7 application delivery control are true? (Choose two.)

- \* It provides more intelligent traffic distribution decisions
- \* It provides the fastest traffic processing
- \* It supports only IPv4
- \* It requires more packets to make a decision

#### NEW QUESTION 21

Refer to the exhibit.



The exhibit shows the first few lines of three scripts, and a virtual server configuration leveraging these scripts.

Based on the way FortiADC prioritizes script execution, in what order will the scripts execute?

- \* COOKIE\_COMMANDS, GENERAL\_REDIRECT, GEOIP\_UTILITY
- \* COOKIE\_COMMANDS < GEOIP\_UTILITY, GENERAL\_REDIRECT
- \* GEOIP\_UTILITY, GENERAL\_REDIRECT, COOKIE\_COMMAND

### NEW QUESTION 22

A FortiADC administrator wants to offload SSL encryption and decryption of web traffic to lessen overhead on the real servers, while maintaining SSL encryption with the client.

Which must be true to allow FortiADC to provide this capability?

- \* The real server pool must be configured for SSL
- \* The virtual server must be configured to perform content routing
- \* The real server certificate and private key must be installed on FortiADC
- \* The virtual server must use a TCPS application profile

### NEW QUESTION 23

To which two objects can link policies apply in FortiADC? (Choose two.)

- \* Virtual tunnel
- \* Virtual server
- \* Gateway
- \* Link group

### NEW QUESTION 24

In global load balancing, why might an administrator configure the response rate limit in FortiADC?

- \* To redirect requests from a blocked country
- \* To prevent FortiADG from being used in DNS amplification DoS attacks
- \* To protect back-end servers from SYN flood attacks
- \* To prioritize outgoing traffic by sending it through the link with the lowest response time

#### **NEW QUESTION 25**

An administrator is managing a web site that uses specialized servers for streaming, in addition to servers that handle HTTP traffic.

To make sure that specialized servers handle the streaming traffic, what FortiADC capacity should they use?

- \* Persistence rules
- \* Content routing
- \* Dynamic load balancing
- \* HTTP compression

#### **NEW QUESTION 26**

Which two FortiADC features can you use to harden the device and server security? (Choose two.)

- \* Connection limits
- \* Web filtering
- \* Antivirus scanning
- \* FortiGuard IP reputation



#### **NEW QUESTION 27**

Which two configuration actions are possible when protecting application delivery servers from clients with IP addresses in the IP reputation database? (Choose two.)

- \* Automatically create a WAF profile based on the traffic
- \* Redirect the traffic to a different URL
- \* Block the traffic.
- \* Analyze the traffic using WVS rules

#### **NEW QUESTION 28**

Refer to the exhibits.



Which show the HA configurations for two FortiADC devices

If both FortiADC devices are operational, which FortiADC is the active device in the cluster?

- \* The FortiADC with the highest HA uptime value
- \* The FortiADC with the highest sorting serial number
- \* FortiADC-1

\* FortiADC-2

**Get Perfect Results with Premium NSE6\_FAD-6.2 Dumps Updated 30 Questions:**

[https://www.dumpsmaterials.com/NSE6\\_FAD-6.2-real-torrent.html](https://www.dumpsmaterials.com/NSE6_FAD-6.2-real-torrent.html)