


## SAP C\_SACP\_2221 Dumps - The Sure Way To Pass Exam [Q53-Q73]



SAP C\_SACP\_2221 Dumps - The Sure Way To Pass Exam  
C\_SACP\_2221 Exam Questions (Updated 2023) 100% Real Question Answers

**Q53.** Which of the following actions would allow you to use data point comments? Note: There are 2 correct answers to this question.

- \* Activate comments by dimension
- \* Insert a calculated column to a table
- \* Add a comment widget to the story
- \* Activate comments by model

**Q54.** In a story, how can you create a chart to compare versions? Note: There are 2 correct answers to this question.

- \* Add a I difference from I measure.
- \* Add a recommended comparison.
- \* Add a new member with a formula.
- \* Add a chart component.

**Q55.** You are importing account hierarchy data from S/4HANA.

To import the member to node assignments, what node type must you use?

- \* L
- \* N

\* R

**Q56.** You have a planning model with the following dimensions; Account, Product, Profit Center, Date, and Version. In a story, which new master data can you add on the fly? Note: There are 2 correct answers to this question.

- \* Profit Center property value
- \* Hierarchy Node
- \* Product Member
- \* Account Member

**Q57.** What can you schedule from the SAP Analytics Cloud calendar? Note: There are 2 correct answers to this question.

- \* Data Locking
- \* Data Exports
- \* Data Actions
- \* Data Imports

**Q58.** Which dimension types support the system-generated Person Responsible property? Note: There are 2 correct answers to this question.

- \* Generic
- \* Version
- \* Organization
- \* Account

**Q59.** You have a planning model with the following dimensions; Cost Center, Account, Date, Entity, Version. When you add new transactional data to your model, you want to overwrite any records with cost center A and add new data for cost center B.

Which import method do you use?

- \* Append
- \* Merge
- \* Overwrite
- \* Update

**Q60.** For which of the following are value driver trees available? Note: There are 2 correct answers to this question

- \* Live models
- \* Analytic models
- \* Datasets
- \* Planning models

**Q61.** Which planning version type can you share with a co-worker from within a story?

- \* Plan
- \* Public
- \* Private

**Q62.** In an existing planning model what currency-related setting CANNOT be changed?

- \* Default currency
- \* Date dimension
- \* Currency table
- \* Currency dimension

**Q63.** You are using the SAP BPC, version for SAP BW/4HANA Standard option. When importing data from a YTD model to SAP Analytics Cloud, what can you do? Note: There are 2 correct answers to this question.

- \* Store YTD data for income statement accounts
- \* Select the write-back model type
- \* Store periodic data for income statement accounts
- \* Select the basic model type

**Q64.** You create a dimension in SAP Analytics Cloud with a hierarchy. You want to update the new dimension with data from a characteristic in SAP Business Warehouse using SAP recommended practices. To populate the members and the hierarchy, what steps must you take? Note: There are 3 correct answers to this question

- \* Create an SAP Business Warehouse query.
- \* Load the members in a separate import.
- \* Include the hierarchy in the SAP Business Warehouse query.
- \* Load the members and hierarchy in the same import.
- \* Create an SAP Analytics Cloud query.

**Q65.** When you delete a planning model, what dimension types are always deleted? Note: There are 2 correct answers to this question.

- \* Organization
- \* Time
- \* Account
- \* Version

**Q66.** You have a New Model that only contains local currency values. When the New Model is used in stories, you need model-configured group currency values that are not stored in the database. What type of measure would you include in the New Model to meet the requirement?

- \* Calculated
- \* Restricted
- \* Converted

**Q67.** Regarding comments, what can you do in analytical applications but not in stories? Note: There are 2 correct answers to this question

- \* Use a dropdown box to select comments
- \* Use the Like feature of comments
- \* Use radio buttons to select comments
- \* Use a filter for a comment widget

**Q68.** You are planning with two hierarchies that have different granularity. Your model contains no data. The story has two pages: a parent planning page and a member planning page (see screenshot). In the Member Planning page you enter the following data: Brazil 100 Chile 100 Peru 100. In the Parent Planning page you enter the following data: North America 10000 South America 30000. When you go back to the Member Planning page, what will you see? Note: There are 2 correct answers to this question.

- \* North America 10000. US 5000. Canada 5000
- \* South America 30300. Brazil 10100. Chile 10100. Peru 10100
- \* South America 30300. Brazil 100. Chile 100. Peru 100
- \* North America 10000. US 0. Canada 0

**Q69.** You enter plan values by year and product group. You want to allocate these values to months and products in proportion to last year's actual data. What setting in the allocation process is required to achieve this?

- \* Add date as a reference dimension
- \* Add product as a reference dimension
- \* Add date as a source dimension
- \* Add product as a source dimension

**Q70.** What can you do with live connections in SAP Analytics Cloud? Note: There are 2 correct answers to this question.

- \* Secure data with SAP Analytics Cloud Security
- \* Secure data with on-premise security
- \* Export data
- \* Reduce Data Redundancy

**Q71.** When exporting from SAP Analytics Cloud to SAP Business Warehouse, which of the following are active by default? Note: There are 2 correct answers to this question.

- \* Update Calendar Month
- \* Delta Mode
- \* Overwrite Mode
- \* Update fiscal period

**Q72.** You want to rebuild an SAP Analytics Cloud classic planning model but the Rebuild Model button is inactive. Why might this happen? Note: There are 2 correct answers to this question.

- \* A public version is used in the model
- \* A private version is used in the model
- \* Currency conversion is enabled
- \* Data exists in the model

**Q73.** In the pre-delivered planning content, which financial statement version is used to integrate S/4HANA account hierarchies and SAP Analytics Cloud account hierarchies?

- \* S4H1
- \* RTC1
- \* YCOA
- \* FPA1

**Pass SAP C\_SACP\_2221 Exam Quickly With DumpsMaterials:**

[https://www.dumpsmaterials.com/C\\_SACP\\_2221-real-torrent.html](https://www.dumpsmaterials.com/C_SACP_2221-real-torrent.html)