


Dependable C_FIORDEV_22 Exam Dumps to Become SAP Certified [Q36-Q57]



Dependable C_FIORDEV_22 Exam Dumps to Become SAP Certified Get Ready with C_FIORDEV_22 Exam Dumps (2023)

SAP C_FIORDEV_22 certification exam is intended for developers who have a basic understanding of SAP Fiori application development and want to enhance their skills and knowledge to develop high-quality SAP Fiori applications. C_FIORDEV_22 exam evaluates the candidate's ability to design, develop, and deploy SAP Fiori applications using SAPUI5, SAP Gateway, and OData services. SAP Certified Development Associate - SAP Fiori Application Developer certification exam is available in English language and can be taken at any SAP testing center.

SAP C-FIORDEV-22 certification exam is a valuable way for professionals to validate their knowledge and skills in SAP Fiori application development. By passing the exam, professionals can demonstrate their proficiency in developing SAP Fiori applications and improve their career prospects.

NO.36 Which file can you use to configure internal navigation for List Report and Object Page templates?

- * index.html file
- * manifest.json file

- * OData annotation file
- * vocabulary.xml file

NO.37 What are some advantages of the Model View Controller (MVC) design pattern used in SAPUI5?Note:

There are 2 correct Answers to this question.

- * Allows changing the view without modifying the underlying business logic.
- * MVC artifacts can be transported and debugged separately.
- * Allows to define several views of the same data.
- * It supports quick coding.

NO.38 Which tool can you use to generate SAPUI5 coding that is based on prototypes?

- * SAP Build
- * UI Theme Designer
- * SAP Business Application Studio
- * Adobe Flash

NO.39 Which application types can you develop and deploy on the SAP Cloud platform Neo environment? Note:

There are 3 correct answers to this question.

- * Objective-C apps
- * NET apps
- * Java apps
- * HTMLS apps
- * HANA XS apps

NO.40 What are some extensibility options in SAPUI5? Note: There are 3 correct Answers to this question.

- * Modify SAP Fiori floorplans
- * Change controls in the sap.m library
- * Include JavaScript, HTML, and CSS in SAPUI5-based pages
- * Create composite controls from existing SAPUI5 controls.
- * Write new libraries and new controls.

NO.41 You finalized your SAPUI5 app in the SAP Business Application Studio.To which of the following platforms can you deploy this app?Note: There are 2 correct Answers to this question.

- * SAP BTP
- * SAPUI5 Java repository
- * SAP Fiori launchpad
- * SAPUI5 ABAP repository

NO.42 In the data in the screenshot, you want to display the List of Companies in the Americas region.Which binding option do you use for the X, Y, and Z values in the view?

```
1 View:
2   <List id="myList" items="{X}"
3     headerText="Companies" >
4     <DisplayListItem label="{Y}" value="{Z}" />
5   </List>
6
7 Data:
8   var data = {
9     regions: [
10    {
11      name: "Americas",
12      companies: [
13        {
14          name: "Acme Inc.",
15          city: "Belmont"
16        },
17        {
18          name: "Beam Hdg.",
19          city: "Hancock"
20        }
21      ]
22    }
23  ]
24 };
25
```

- * X: /regions/0/companies Y: companies/0/name Z: companies/0/city
- * X: /regions/companies Y: companies/name Z: companies/city
- * X: /regions/companies Y: name Z: city
- * X: /regions/0/companies Y: name Z: city

NO.43 Your customer requires that the SAPUI5 design of all apps matches their corporate theme. Which of the following actions do you perform? Note: There are 3 correct answers to this question.

- * Create a theme using the Theme Designer implementing the theme.
- * Create a model using the Web IDE implementing the theme
- * Reference the relevant artifacts in the bootstrap of the app.
- * Create a sass file using the Web IDE implementing the theme.
- * Create a module using the Web IDE implementing the theme.

NO.44 Where are the themes saved for the SAP Fiori launchpad?

- * In the theme repository
- * In the theme data center
- * In the UI theme designer tool
- * In the bootstrap

NO.45 Which of the following sequences is the correct sequence for the Problem Space phase in a Design Thinking workshop?

- * Discover -> Design -> Deliver
- * Scoping -> Ideation -> Design
- * Scoping -> Synthesis -> Ideation
- * Scoping -> 360° Research -> Ideation

NO.46 In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.? _ Note: There are 2 correct answers to this question.

```
1  var data = {
2      regions: [
3          {
4              name: "Americas",
5              companies : [
6                  {
7                      name : "Acme Inc",
8                      city: "Bremen"
9                  },
10                 {
11                     name : "Beam Hdg.",
12                     city: "Hancock"
13                 }
14             ]
15         }
16     ];
17
18
19 var oModel = new sap.ui.model.json.JSONModel();
20 oModel.setData(data);
21 oModel.getProperty("/regions/companies/0/city")
```

- * /regions/companies/0/city
- * /regions/1/companies/1/city
- * /regions/0/companies/0/city
- * /region[0]/companies[0]/city

NO.47 What does coherence refer to in the SAP Fiori design principles? Note: There are 2 correct answers to this question.

- * A consistent interaction and visual design language
- * Design for business users needs and their work
- * Solves multiple use cases
- * The same intuitive experience across the whole enterprise

NO.48 An administrator want to configure the SAP Fiori Launchpad for all users in one client for your S/4HANA 1809 landscape.

- * Create a target mapping in a catalog and assign the catalog to all users using roles. / O Define settings using transaction /UI2/FLP_CUS_CONF.
- * Which of the following options represents the best way for the administrator to do this?
- * Define settings using transaction /UI2/FLP_SYS_CONF.
- * Use the configuration file to define URL parameters to enable/disable features when starting the SAP Fiori Launchpad.

NO.49 What are the advantages of the Sinon.JS framework? Note: There are 2 correct answers to this question.

- * It enables test-driven development.
- * It supports only synchronous requests.
- * It supplies higher level test doubles for timers and AJAX requests.
- * It provides support for spies, stubs and mocks.

NO.50 You need to configure an SAP Destination service to enable SAP Business Application Studio to extend an existing SAP Fiori app. Which configuration setting for the WebIDEUsage property is required?

- * odata_abap
- * extend_abap
- * dev_abap
- * ui5_execute_abap

NO.51 Which of the following are features of the SAPUI5 SDK? Note: There are 2 correct answers to this question.

- * Is a subset of OpenUI5
- * Allows the usage of the jQuery library

- * Keyboard interaction support and accessibility features
- * Provides an interface to Web Dynpro

NO.52 You develop an SAPUI5 app that updates data on the SAP back-end system. What activities are required when you implement an XSRF token? Note: There are 2 correct answers to this question.

- * Retrieve the token and send it with each write request
- * Execute the Refresh method for an expired token.
- * Include the token in the HTTP request body of each write request
- * Generate a token on each read and write request

NO.53 Which HTTP request methods does the SAP Gateway server use to compute and return a new eTag in a response header? Note: There are 2 correct Answers to this question.

- * PUT
- * GET
- * POST
- * DELETE

NO.54 Which of the following tile types can use an OData service to set the title properties?

- * Semi-dynamic
- * Dynamic
- * Static

NO.55 You want to use transaction /UIZ/FLP to start the SAP Fiori Launchpad using the Web Dispatcher. Which database table do you use to configure this?

- * HTTPURLLOC
- * HTTP_CSP_MADMIN
- * HTTP_WHITELIST
- * HTTP_MADMIM.

NO.56 Why does SAP Fiori use an intent-based navigation? Note: There are 2 correct Answers to this question.

- * To support cross-app navigation
- * The concrete app targets can be deployed separately
- * Interdependent targets must be deployed in a single transport request
- * To provide different results to different users with the same intent

NO.57 Your customer requests a special create method to enable the creation of the full OData hierarchy. Which OData service method can you use?

- * EXECUTE_DEEP_INSERT
- * CREATE_STREAM
- * CREATE_DEEP_ENTITY
- * CREATE_BATCH_ENTITY

Download Exam C_FIORDEV_22 Practice Test Questions with 100% Verified Answers:
https://www.dumpsmaterials.com/C_FIORDEV_22-real-torrent.html