


## [Q42-Q56] Get Prepared for Your C\_FIOAD\_2021 Exam With Actual SAP Study Guide!



**Get Prepared for Your C\_FIOAD\_2021 Exam With Actual SAP Study Guide! Pass Your Next C\_FIOAD\_2021 Certification Exam Easily & Hassle Free Q42.** How can you configure the SAP Fiori launchpad? There are 2 correct answers to this question.

- \* Via app descriptors in transaction MM\_APP
- \* Via FLP settings in transaction /UI2/FLP\_CONF\_DEF
- \* Via target mappings in transaction /UI2/FLPD\_CUST
- \* Via system settings in transaction /UI2/FLP\_CUS\_CONF

**Q43.** You want to configure the ICM process of an ABAP-based SAP system to support HTTPS. Which steps are relevant? There are 2 correct answers to this question.

- \* Check system profile parameters for SSL
- \* Maintain the SSI server PSE
- \* Check system profile parameters for metadata exchange
- \* Maintain the system PSE

**Q44.** What can you do within the SAP web dispatcher web administration UI? There are 2 correct answers to this question.

- \* Stop SAP web dispatcher
- \* Analyze statistics

- \* Evaluate trace files
- \* Modify rewrite rules

**Q45.** Which selection options are available when you activate the SAP performance trace tool (transaction

/IWFND/TRACES)? There are 2 correct answers to this question.

- \* Variant name
- \* Transaction name
- \* Request URI prefix
- \* User name

**Q46.** You want to change a profile parameter for an ABAP-based system. The change should become effective after the next system restart. Which transaction do you use?

- \* RZ11
- \* RZ10
- \* RZ30
- \* RSPFPAR

**Q47.** You want to enable the context sensitive user assistance in the SAP Fiori launchpad. Where are the help texts persisted?

- \* At the BES system
- \* At a separate web server
- \* At the SAP web dispatcher
- \* At the FES System

**Q48.** For which user groups can task list SAP\_FIORI\_FOUNDATION\_S4 generate SAP Fiori foundation roles?

There are 2 correct answers to this question.

- \* End-users
- \* Administrators
- \* Developers
- \* Managers

**Q49.** What is the minimum number of dialog work processes per ABAP dispatcher?

- \* 1
- \* 0
- \* 4
- \* 2

**Q50.** You have passed the initial authentication for an SAP Fiori transactional app. Which authentication technology is used for subsequent OData calls of this app?

- \* X.509 client certificates
- \* ABAP Session security
- \* SAP logon tickets
- \* SAML2.0

**Q51.** You want to configure legacy applications (Web Dynpro/ABAP transactions) to run on SAP Fiori Launchpad in a central hub deployment. What configuration steps are necessary? There are 2 correct answers to this question.

- \* Define the HTTPS and RFC connections to the BES in the FES system
- \* Define HTTPS and RFC connections to the FES system in the BES system.
- \* Activate the ICF nodes for web Dynpro ABAP in the FES system

- \* Activate the ICF nodes for web dynpro ABAP in the BES system

**Q52.** After setting up the SAP Fiori Launchpad. What do you need to do to enable the SAP easy access menu?

There are 2 correct answers to this question.

- \* Create references to SAP Fiori Tiles
- \* Register OData services
- \* Register notification providers
- \* Create target mappings

**Q53.** In an SAP S/4HANA 1909 system, you have executed all tasks of task list SAP\_BW\_SETUP\_INITIAL\_S4HANA. How can you monitor the BW content activation?

- \* By analyzing the log of background job BI\_TCO\_ACTIVATION
- \* By analyzing the result of executing function module RSEC\_GENERATE\_BI\_ALL
- \* By analyzing the activation logs available in transaction RSTCO\_ADMIN
- \* By analyzing logs for object RSTCO\_UT in transaction SLG1

**Q54.** Which of the following single sign-on mechanisms is not supported for SAP Fiori search?

- \* X.509 client certificate
- \* SAP logon Tickets
- \* Kerberos/SPNEGO
- \* SAML2.0

**Q55.** What does task list SAP\_FIORI\_LAUIICHPAD\_INIT\_SETUP dp? There are 3 correct answers to this question.

- \* Activate OData services for KPI design
- \* Activate OData services for SAP Fiori launchpad
- \* Create a trust relationship from the FES to BES system
- \* Create system alias LOCAL
- \* Activate HTTP services for SAP Fiori Launchpad

**Q56.** What actions can you perform using the SAP\_FIORI\_FOUNDATION\_S4 task list? There are 3 correct answers to this question.

- \* Enable SAP GUI for HTML.
- \* Create users with generated business roles.
- \* Schedule a job for calculation of SAPUI5 application index.
- \* Generate SAP Fiori foundation roles.
- \* Replicate backend catalogs.

**Ace C\_FIOAD\_2021 Certification with 151 Actual Questions:**

[https://www.dumpsmaterials.com/C\\_FIOAD\\_2021-real-torrent.html](https://www.dumpsmaterials.com/C_FIOAD_2021-real-torrent.html)]