

## 100% Updated Salesforce B2C-Commerce-Developer Enterprise PDF Dumps [Q43-Q58]



## 100% Updated Salesforce B2C-Commerce-Developer Enterprise PDF Dumps [Q43-Q58]

100% Updated Salesforce B2C-Commerce-Developer Enterprise PDF Dumps  
Use Valid Exam B2C-Commerce-Developer by DumpsMaterials Books For Free Website

Salesforce B2C-Commerce-Developer Certification Exam is a great way to demonstrate your expertise in Salesforce B2C Commerce Cloud. Salesforce Certified B2C Commerce Developer certification is recognized by employers and industry professionals, and can help you stand out in a competitive job market. Earning this certification can also lead to increased job opportunities and higher salaries. Whether you are just starting your career in Salesforce B2C Commerce Cloud, or are looking to advance to the next level, the B2C-Commerce-Developer Certification Exam is a valuable investment in your professional development.

### QUESTION 43

A developer wants to add a link to the My Account Page.

What is the correct code to accomplish this?

```
* <a
href=&#8221;${URLUtils.get(&#8216;Account-Show&#8217;)}>${Resource.msg(&#8216;myaccount&#8217;,&#8217;account&
#8217;,request.locale())}</a>
* <a href=&#8221;${url.get(&#8216;Account-Show&#8217;)}>${Resource.message(&#8216;myaccount&#8217;)}</a>
* <a
href=&#8221;${URLUtils.url(&#8216;Account-Show&#8217;)}>${Resource.msg(&#8216;myaccount&#8217;,&#8217;account&
#8217;,null)}</a>
* <a href=&#8221;${URLUtils
(&#8216;Account-Show&#8217;)}>${ResourceMgr.getProperties(&#8216;myaccount&#8217;,&#8217;account&#8217;,null)}</a
>
```

#### QUESTION 44

An instance has custom logging enabled. The log reaches the file size limit.

What happens in this situation?

- \* The log file is deleted and a new log file is created.
- \* Logging is suspended for the day
- \* The current log file is archived and a new log file is created.
- \* The log file Rolls over and the oldest log messages are overwritten

#### QUESTION 45

The following sample code is NOT providing the desired results. The Digital Developer needs to add an entry to the logs to debug the problem.

```
var paymentInstruments = order.getPaymentInstruments(PaymentInstrument.METHOD_DW_APPLE_PAY).toArray();
if (!paymentInstruments.length) {
    // Log Error Message
    return null;
}
var paymentInstrument = paymentInstruments[0];
var paymentTransaction = paymentInstrument.getPaymentTransaction();
```

Which statement correctly adds a log entry?

- \* `Logger.exception(&#8216;Unable to find Apple Pay payment instrument for order.&#8217;+paymentInstruments);`
- \* `Logger.getErrorLog().log(&#8216;Unable to find Apple Pay payment instrument for order.&#8217;+paymentInstruments);`
- \* `Logger.fault(&#8216;Unable to find Apple Pay payment instrument for order.&#8217;+paymentInstruments);`
- \* `Logger.error(&#8216;Unable to find Apple Pay payment instrument for order.&#8217;+paymentInstruments);`

#### QUESTION 46

A Digital Developer has created a new PaymentForm controller that requires communication with the server and must be made using the HTTPS protocol.

Which code sample should the Developer use to make sure that HTTPS is used?

- \* `exports.PaymentForm = guard.ensure([&#8216;http&#8217;, &#8216;post&#8217;, &#8216;loggedIn&#8217;], handlePaymentForm);`

```
* exports.PaymentForm = guard.expose([&#8216;post&#8217;, &#8216;loggedIn&#8217;], handlePaymentForm);  
* exports.PaymentForm = guard.httpsPost(handlePaymentForm);  
* exports.PaymentForm = guard.ensure([&#8216;https&#8217;, &#8216;post&#8217;, &#8216;loggedIn&#8217;],  
handlePaymentForm);
```

References:

### QUESTION 47

Given a job step configured in the steptype.json, a developer needs to add a custom status code

```
&#8220;No_FILES_FOUND&#8221;.
```

Which code snippet will complete the requirement?

```
* var status = {success: &#8216;OK&#8217;, Message: &#8216;NO_FILES_FOUND&#8217;};
```

```
return status;
```

```
* var status = require(&#8216;dw/system/status&#8217;);
```

```
return new Status(Status.OK, &#8216;NO_FILES_FOUND&#8217;);
```

```
* this.status = &#8216;NO_FILES_FOUND&#8217;
```

```
return this;
```

```
* return &#8216;NO_FILES_FOUND
```

Package `dw.system`

### Class Status

[Object](#)  
↳ `dw.system.Status`

A Status is used for communicating an API status code back to a client. A status consists of multiple StatusItem. Most often a Status contains only one StatusItem. For convenience, a message with parameters locale-specific messages in your application, you should use the `Status.getCode()` as key for a resource bundle.

The actual message can change from release to release.

```
static OK : Number
```

status value to indicate an OK status

### QUESTION 48

A developer wants to configure the following products so that same search results are returned regardless of the search term used. The search term can be bag, purse, pocketbook, and tote. How should the developer configure this?

- \* Synonyms
- \* Hypernyms
- \* Hyponyms

## QUESTION 49

Assume the code below is executing:

```
var log = Logger.getLogger("xyz", "export");  
log.info("This is important information");
```

Business Manager has the configuration:

Active Log category is `<root>`; with log level of `<info>`;

Given this information, what is the beginning of the filename in which the log will be written?

- \* xyz
- \* custominfo-blade
- \* custom-export
- \* custom-xyz

## QUESTION 50

A developer is working on a new site for the U.S based on an existing Canadian site. One of the requirements is a change to the address form. The current Canadian form has an `<options>` list with the correct two-letter abbreviation for the provinces.

The U.S. requirements are to:

- \* Have an `<options>` list with the correct two-letter abbreviation for the states in place of the province field.
- \* Set the U.S site locale.
- \* Add the options list field definition to the XML file.

How should the developer set up the files before making the required edits?

- \* Create a copy of existing address.xml file in the default folder. Rename that file to adres\_US.xml
- \* Create a new sub-folder in the forms folder. Name it US. Copy existing address.xml file in the new folder.
- \* Create a copy of existing address.xml file in the default folder. Rename that file to address\_en\_US.xml
- \* Create a new sub-folder in the forms folder. Name it en\_US. Copy existing address.xml file in the new folder.

## QUESTION 51

A developer working on a simple web service integration is asked to add appropriate logging to allow future troubleshooting.

According to logging best practices, which code should the developer write to log when an operation succeeds, but has an unexpected outcome that may produce side effects?

- \* `Logger.info("Unexpected service response");`
- \* `Logger.debug("Unexpected service response");`
- \* `Logger.error("Unexpected service response");`
- \* `Logger.warn("Unexpected service response");`

## QUESTION 52

Assume the code below is executing:

```
var log = Logger.getLogger("xyz", "export");  
log.info("This is important information");
```

Business Manager has the configuration:

\* Active Log category is `&#8220;root&#8221;` with log level of `&#8220;info.&#8221;`;

Given this information, what is the beginning of the filename in which the log will be written?

- \* xyz
- \* custominfo-blade
- \* custom-export
- \* custom-xyz

## QUESTION 53

A Digital Developer has been given a specification to integrate with a REST API for retrieving weather conditions. The service expects parameters to be form encoded.

Which service type should the Developer register?

- \* HTTP Form
- \* WebDAV
- \* SOAP
- \* FTP

## QUESTION 54

A developer wants to create in Business Manager extension with the cartridge named `plugin_vm_extension`.

Which two steps should the developer take for the extension option to show up in Business Manager? Choose 2 answers:

- \* Add `plugin_bm_extension` to the cartridge path under business manager cartridge site
- \* Add the appropriate roles and permission to the user to view the business manager extension.
- \* Add `plugin_bm_extension` to the cartridge path under Storefront cartridge site path.
- \* Activate a new code version for the Business Manager Site.



## Updating the Cartridge Path

If you are using controllers, you must upload the app\_storefront\_controller cartridge, but you don't need to add it to the cartridge path.

1. In **Business Manager**, select **Administration > Sites > Manage Sites**.
2. Select **SiteGenesis** or your **site** and click the **Settings** tab.
3. Add the Commerce Cloud Endless Aisle cartridges to the list of cartridges:
  - a. If you are using Endless Aisle pipelines add the following to the beginning of your path: int\_ocapi\_ext\_core:int\_ocapi\_ext\_pipelines:
  - b. If you are using Endless Aisle controllers add the following to the beginning of your path: int\_ocapi\_ext\_core:int\_ocapi\_ext\_controllers:
  - c. If you are using the SiteGenesis with Salesforce B2C Commerce storefront cartridge add the following to your path: ea\_sitegenesis\_storefront\_richUI:ea\_sitegenesis\_storefront\_richUI
4. Add the Verifone cartridges to the list of cartridges if using Verifone devices:
  - a. If you are using Endless Aisle pipelines and Verifone devices add the following to the beginning of your path: int\_verifone\_dss\_core:int\_verifone\_dss\_pipelines:
  - b. If you are using Endless Aisle controllers and Verifone devices add the following to the beginning of your path: int\_verifone\_dss\_core:int\_verifone\_dss\_controllers:
5. Click **Apply**.
6. Add bm\_instore to the **Business Manager cartridge** path.
  - a. Click the **Business Manager** link below the **site** table.
  - b. Add .bm\_instore to the end of the **cartridge** path.
  - c. If you plan to use Endless Aisle Sales Reports in **Business Manager**, add int\_ocapi\_ext\_pipelines:int\_ocapi\_ext\_core: to the **cartridge** path.
  - d. Click **Apply**.

### QUESTION 55

Consider the following information:

\* A merchant has this three-tier category structure setup in the Storefront catalog.

&#8211; New Arrivals > Women > Clothing

\* The category named Clothing has all the clothing items for Women and is merchandised.

\* A Search Refinement named Newness is correctly configured for the Clothing category.

When a merchandiser views the Clothing category, the Search Refinement appears and works as expected.

However, the merchandiser does not see the Search Refinement when searching for Clothing via the Storefront search.

What is the reason?

- \* The Search Refinement definition is not set up for the New Arrivals category
- \* There are conflicting Search Refinement definitions for Clothing and one of its parent categories
- \* The Search Refinement definition is not set up for the Women category
- \* The Search Refinement definition is not set up for the Root category

### QUESTION 56

A developer must configure permissions for an Open Commerce API resource on a sandbox instance that currently does not have any permissions configured.

Which two configuration properties are required to enable Access to the resource?

Choose 2 answers

- \* Resource\_id
- \* Read\_attributes
- \* Client\_id
- \* Version\_range

### QUESTION 57

A Digital Developer wants pass control to an ISML template from a JavaScript Controller and load product on the pipeline dictionary with the name myProduct.

Which code sample will achieve this?

- \* ISML.renderTemplate ( '&#8220;helloworld.isml&#8221;; { &#8220;myProduct&#8221;; &#8220;product&#8221; } );
- \* ISML.renderTemplate ( '&#8220;helloworld.isml&#8221;; { &#8220;product&#8221;; myProduct } );
- \* ISML.renderTemplate ( '&#8220;helloworld.isml&#8221;; { product: myProduct } );
- \* ISML.renderTemplate ( '&#8220;helloworld.isml&#8221;; { myProduct: product } );

Explanation/Reference: [https://documentation.b2c.commercecloud.salesforce.com/DOC2/index.jsp?topic=%](https://documentation.b2c.commercecloud.salesforce.com/DOC2/index.jsp?topic=%2Fcom.demandware.dochelp%2FSGJC%2FPipelinetoControllerConversion.html)

[2Fcom.demandware.dochelp%2FSGJC%2FPipelinetoControllerConversion.html](https://documentation.b2c.commercecloud.salesforce.com/DOC2/index.jsp?topic=%2Fcom.demandware.dochelp%2FSGJC%2FPipelinetoControllerConversion.html)

### QUESTION 58

The following code ensures that an address ID CANNOT be used if it is already in use by another address in the customer's address book. There is a problem with the code. The error message for an invalid address ID is never shown to the user on the form field.

```
if (address.ID !== addressForm.addressid.value) {
  for (var i = 0; i < addressBook.addresses.length; i++) {
    if (addressBook.addresses[i].ID === addressForm.addressid.value) {
      addressForm.invalidateFormElement();
      throw new Error('Address name already exists');
    }
  }
}
```

How should the Digital Developer resolve this issue so that the error message is displayed on the address ID form field?

- \* addressForm.invalidateFormElement('&#8220;addressid&#8221;);
- \* addressForm.addresssid.invalidateFormElement = true;
- \* addressForm.invalidateFormElement(addressForm.addressid);
- \* addressForm.addresssid.invalidateFormElement();

**Salesforce B2C-Commerce-Developer Official Cert Guide PDF:**

<https://www.dumpsmaterials.com/B2C-Commerce-Developer-real-torrent.html>