


2024 Latest C-TS411-2022 dumps Exam Material with 80 Questions [Q25-Q47]



2024 Latest C-TS411-2022 dumps Exam Material with 80 Questions [Q25-Q47]

2024 Latest C-TS411-2022 dumps Exam Material with 80 Questions SAP C-TS411-2022 Questions and Answers Guarantee you Oass the Test Easily NO.25 Which are the settings for material variant determination that are also made in customizing for the item categories for the sales document?Note: There are 3 correct Answers to this question.

- * Set actions for material variants
- * Setting BOM determination (link or individual)
- * Activate the variant matching
- * Availability check/ATP material variant
- * Setting routing determination (link or individual)

NO.26 What is the significance of the Additional Data tab in class maintenance?

- * It only exists for class nodes. It controls the usage in BOMs.
- * It exists for all class types. It controls the permitted object types.
- * It only exists for class nodes. It controls the usage in routings.
- * It only exists for variant classes. It controls the use in configuration profiles.

NO.27 Why is a Work Center assigned to a Cost Center?

- * For assignment to find suitable people
- * For costing to use activity types

- * For scheduling to determine transportation time and queue time
- * For capacity to use shift sequences

NO.28 What kind of reports does the classification area offer? Note: There are 3 correct Answers to this question.

- * Characteristics list
- * Summarized class explosion
- * Object list
- * Classification status
- * Class status

NO.29 The customer wants to see the cross-plant material status inside the object search in classification. How do you satisfy the customer's requirement?

- * Add the cross-plant material status field to the database classification table.
- * Change the screen sequence of the classification view.
- * Create a custom data type in customizing.
- * Create a reference characteristic.

NO.30 What is the easiest way to check whether a model is consistent with regard to the processing mode of the configuration profile and object dependencies?

- * You use the Check Model function in the (VC modeling Environment PMEVC).
- * You use the Extras function in the material configuration (Simul./ModelingCheck Model CU50).
- * You use the function Inconsistent VC Models in the app Variant Configuration Overview.
- * You use the Check Model function in the Simulate Configuration Models app.

NO.31 You can assign material components to operations. What needs to be taken into account?

- * You can only assign material components that have also been assigned to the routing as production resources and tools.
- * You can only assign material components that were previously assigned to the header material.
- * You can only assign material components that are components of a material BOM.
- * You can only assign each material component, when the material master exists and is known in the plant.

NO.32 When or why do you assign production resources and tools to an operation?

- * To map the equipment of the Work Center with production resources and tools.
- * To make additional production resources and tools available that do not belong to the equipment of the Work Center.
- * To provide additional components which cannot be assigned to the BOM.
- * To make them available for operation inspection only.

NO.33 Which configuration process/scenario prevents the display of a BOM explosion in the sales order?

Note: There are 2 correct Answers to this question.

- * Sales Order (SET) for both processing modes
- * Order BOM with processing mode AVC
- * Order BOM with processing mode classic and standard settings
- * Planned/Production Order without BOM explosion for both processing modes

NO.34 Which secure storage areas can be used inside a document info record? Note: There are 2 correct Answers to this question.

- * HTTP Content Server
- * FTP File Server
- * SAP Database
- * RFC Archive

NO.35 Which prerequisites must be fulfilled before a configuration profile can be created and released for a configurable material?

- * At least one variant class must be assigned to the configurable material. Values must be assigned to the characteristics here.
- * At least one variant class must be assigned to the configurable material.
- * At least one variant class must be assigned to the configurable material. Values must not be assigned to the characteristics here.
- * Exactly one variant class must be assigned to the configurable material.

NO.36 Which routing objects can object dependencies be assigned to?Note: There are 3 correct Answers to this question.

- * Production Resource Tools
- * Inspection Characteristics
- * Sequences
- * Component Allocation
- * Operations

NO.37 You connected characteristics inside one class to organizational areas. What are the benefits?Note:

There are 2 correct Answers to this question.

- * A check for the same classification is only possible inside one organizational area.
- * A check for the same classification is possible for all organizational areas.
- * Users can only work with characteristics depending on the authorization for a particular organizational area.
- * Users can always see all characteristics for all areas.

NO.38 Where can you create routings?Note: There are 3 correct Answers to this question.

- * In Product Structure Synchronization
- * In Visual Manufacturing Planner
- * In the classic transaction or corresponding Fiori app for the creation of routings (CA01)
- * In the classic transaction or corresponding Fiori app for Variant Configuration Modeling Environment (PMEVC)
- * In the classic transaction or corresponding Fiori app for the Engineering Workbench (CEWB)

NO.39 What controls the material BOM item category?Note: There are 2 correct Answers to this question.

- * A work center is required.
- * A change number is required.
- * A material number is required.
- * A negative quantity is allowed.

NO.40 You can use the syntax element `$set_pricing_factor` for pricing in object dependencies.What do you need to consider?Note:

There are 2 correct Answers to this question.

- * Negative factors must not be used in `$set_pricing_factor`.
- * `$set_pricing_factor` sets the variant condition and adds a factor to it. The variant condition must not already be assigned.
- * You cannot use zero as a factor in `$set_pricing_factor`.
- * `$set_pricing_factor` adds only one factor. The variant condition must already be assigned.

NO.41 Which configuration process/scenario requires subitems in sales orders?

- * Planned/Production Order with BOM explosion
- * Planned/Production Order without BOM explosion
- * Order BOM
- * Sales Order (SET processing)

NO.42 A procedure sets the value V2 for characteristic C2 when the value V1 is set for characteristic C1.How do you assign and define this procedure?Note: There are 3 correct Answers to this question.

- * Procedure to characteristic C1 using the following syntax: `$self.C2 = ‘V2’ if $self.C1 = ‘V1’ (not`

recommended)

- * Procedure to characteristic C2 using the following syntax: \$self.C1 = ‘V1’ if \$self.C2 = ‘V2’ (not recommended)
- * Procedure with the following syntax to the configuration profile: \$self.C2 = ‘V2’ if \$self.C1 = ‘V1’ (recommended)
- * Procedure to the value V2 with the following syntax: \$self.C1 = ‘V1’ (not recommended)
- * Procedure to the value V1 with the following syntax: \$self.C2 = ‘V2’ (not recommended)

NO.43 What do you have to keep in mind when copying a group BOM to a plant specific BOM?Note: There are

2 correct Answers to this question.

- * The internal BOM number stays unchanged.
- * The material component must have a plant assignment.
- * The header status has to be active.
- * The BOM usage can be changed.

NO.44 You use the app Find Objects in Classes. How do you find a class?Note: There are 2 correct Answers to this question.

- * Via hierarchy
- * Via change number
- * Via assigned characteristics
- * Via Class BOM

NO.45 You use the app Find in Classes. The result screen only shows the object ID and type. What can you do to make characteristic values inside the result screen visible?Note: There are 2 correct Answers to this question.

- * Change the layout inside the result screen.
- * Change the layout inside an object.
- * Change the layout inside the class.
- * Change the layout inside the class type.

NO.46 Working with the document status, what should you keep in mind?Note: There are 2 correct Answers to this question.

- * It can be set at object link level.
- * It can only be defined plant specific.
- * It can be defined as a status network.
- * It can be defined depending on document type.

NO.47 What happens if the characteristic status is not set to Released?

- * The characteristic can only be changed.
- * The characteristic cannot be assigned to a class.
- * A value of this characteristic cannot be assigned in configuration.
- * A value of this characteristic cannot be assigned in classification of a configurable material.

Share Latest C-TS411-2022 DUMP Questions and Answers: <https://www.dumpsmaterials.com/C-TS411-2022-real-torrent.html>